

SAUNA-VENTIL SHOWER-TAP AFTER USING THE SAUNA

MERKMALE & TECHNIK

- Einzigartiges Sauna-Brause-Ventil für die Kaltwasser-Anwendung (Kneipp) nach dem Sauna-Gang
- Für eine kontrollierte und sparsame Wasserabgabe in öffentlichen Duschräumen: Weniger Wasserverbrauch und Schutz vor Vandalismus
- Sehr leichte Auslösung über großes, komfortables Druckelement (Unabhängig vom Wasserdruck!)
- Weiche und volle Strahlqualität individuell einstellbar durch integrierte Vorabsperrung
- Ab Fließdruck 1,2 bis ca. 5 bar, Anschlussgewinde 3/4"
- Pro Auslösung ca. 2 Liter Kaltwasser in ca. 5 Sek. Laufzeit (ca. 20 L/Min)
- Eigensicher mit Rückflussverhinderung
- Option: Rohrbelüfter Art. 732 34 34
- Schlauch-Anschluss 3/4": Kneipp-Brauseschlauch nicht mitgeliefert.
- Gewicht: ca. 1.500 gr.

FEATURE & TECHNICAL DETAILS

- Unique Shower-Tap for Coldwater-Therapy (acc. Kneipp) after Using the Sauna
- For a Controlled and Water-Saving Use in Public Shower Rooms: Less Water Consumption and Protection from Vandalism
- Convenient Operation thanks Big Pushing Element (Independent from the Water Pressure!)
- Soft and Full Performance individually adjustable by integrated Stop-Valve
- Min. Pressure 1,2 bar to abt. 5 bar, Connection 3/4"
- Abt. 2 Liters of Cold Water within abt. 5 sec. Running Time (about 20 L/Min) per Operation
- Intrinsically safe with Backflow Preventer
- Option: C.P. Brtass Vacuum Breaker Art. 732 34 34
- Hose Connection 3/4": Hose not Included
- Weight: abt. 1.500 grs.

Art.Nr.	Bezeichnung / Description	Abbildung / Drawing
191 34 00	Sauna-Brauseventil 3/4" (DN 20) ohne Schlauch und Wandhalter Sauna Shower Tap 3/4" (DN 20) without Shower Hose and Wall Holder	41 14 (VA) G 3/4"

